

## Disc technical data

**Axle** Rear

**Diameter**  
325 mm

**Overall height (A)**  
42 mm

**Centring diameter (B)**  
63,5 mm

**Number of holes (C)**  
5


**Thickness (TH)**  
20 mm

**Minimum thickness**  
18 mm

**Tightening torque**   
Nm

**Unit per box**  
2

**EANCode**  
8020584223161



## Brand part numbers

**Brembo**  
09.C209.21

**AP**  
25627 V

**Breco**  
BV 9237

<b>09.C209.21</b>	
AP	25627 V
BRECO	BV 9237
DIMENSION	325 x 20 mm
MIN TH	18 mm
BALANCING	GUARANTEED
MATERIAL	SUB-GROUP 1
WEIGHT	7.4 kg

DATE :07/04/2017 VERSION : 00

## Technical specifications

### PVT vented disc

The PVT disc uses, in its ventilation chamber, pillars instead of vanes. Disc cooling capacity is enhanced by an extra 40% and therefore provides more resistance against thermal cracking.



### UV Disc

The UV coating process provides a superior corrosion resistance and full disc protection.



## Compatible vehicles

### JAGUAR

Model	Type	Kw	Year
XE (X760)	2.0	184	02/17 -
XE (X760)	2.0	147	03/15 -
XE (X760)	2.0	177	03/15 -
XE (X760)	2.0 AWD	184	02/17 -
XE (X760)	2.0 AWD	221	06/17 -

XE (X760)	2.0 D	120	03/15 -
XE (X760)	2.0 D	132	03/15 -
XE (X760)	2.0 D AWD	177	02/17 -
XE (X760)	2.0 D AWD	132	10/15 -
XE (X760)	3.0 S	280	02/17 -
XE (X760)	3.0 S	250	03/15 -
XF (X260)	2.0	147	03/17 -
XF (X260)	2.0	184	03/17 -
XF (X260)	2.0	177	05/15 -
XF (X260)	2.0 AWD	184	03/17 -
XF (X260)	2.0 AWD	221	09/17 -
XF (X260)	2.0 D	177	03/17 -
XF (X260)	2.0 D	120	05/15 -
XF (X260)	2.0 D	132	05/15 -
XF (X260)	2.0 D AWD	132	03/16 -
XF (X260)	2.0 D AWD	177	03/17 -
XF (X260)	3.0	250	05/15 -
XF (X260)	3.0	280	05/15 -
XF (X260)	3.0 AWD	250	07/15 -
XF (X260)	3.0 AWD	280	07/15 -
XF (X260)	3.0 D	221	05/15 -
XF SPORTBRAKE (X260)	2.0	184	07/17 -
XF SPORTBRAKE (X260)	2.0 D	120	07/17 -
XF SPORTBRAKE (X260)	2.0 D	132	07/17 -
XF SPORTBRAKE (X260)	2.0 D AWD	132	07/17 -
XF SPORTBRAKE (X260)	2.0 D AWD	177	07/17 -
XF SPORTBRAKE (X260)	3.0	280	07/17 -
XF SPORTBRAKE (X260)	3.0 AWD	280	07/17 -
XF SPORTBRAKE (X260)	3.0 D	221	07/17 -

## OE Part number

Compatible OE codes

