

## Tekniska data för bromsbeläggen

**Axel**  
Bak

**WVA**  
24435, 24661, 24662

**Bredd**  
93,7 mm

**Tjocklek**  
14,8 mm


**Höjd**  
46,6 mm

**Bromssystem**  
Nissin

**Funktioner**

**Slitageindikator**  
Akustisk

**EAN-kod**  
8020584109496



## Kompatibla fordon

### ACURA

Modell	Typ	kW	År
TSX (CU_)	2.4	150	09/10 -
TSX (CU_)	3.5	209	01/12 -

**BYD**

Modell	Typ	kW	År
F6	1.8	90	06/10 12/14
F6	2.0	103	03/08 12/14
F6	2.4	121	03/08 12/11

**HONDA**

Modell	Typ	kW	År
ACCORD Coupe (CM)	2.4	142	09/07 -
ACCORD Hatchback (TF)	3.5 i All-wheel Drive (TF2)	199	09/09 12/12
ACCORD IX Coupe	2.4	138	09/12 -
ACCORD IX Coupe	3.5	207	09/12 -
ACCORD IX Saloon (CR)	2.0 Hybrid	105	01/13 04/16
ACCORD IX Saloon (CR)	2.4	129	11/13 -
ACCORD IX Saloon (CR)	2.4	139	04/17 -
ACCORD IX Saloon (CR)	2.4	132	07/14 -
ACCORD IX Saloon (CR)	3.5	206	11/13 -
ACCORD IX Saloon (CR)	3.5	207	09/12 -
ACCORD IX Saloon (CR)	3.5	204	09/13 -
ACCORD VIII (CP)	2.0 i-VTEC (CP1)	114	07/08 09/12
ACCORD VIII (CP)	3.5 V 6 (CP3)	206	12/07 09/12
ACCORD VIII (CU)	2.0 i (CU1)	115	06/08 06/15
ACCORD VIII (CU)	2.2 i-DTEC (CU3)	110	07/08 06/15
ACCORD VIII (CU)	2.2 i-DTEC (CU3)	132	07/08 06/15
ACCORD VIII (CU)	2.4 i (CU2)	148	07/08 06/15
ACCORD VIII Estate (CW)	2.0 i (CW1)	115	07/08 -
ACCORD VIII Estate (CW)	2.2 i-DTEC (CW3)	110	07/08 -
ACCORD VIII Estate (CW)	2.2 i-DTEC (CW3)	132	07/08 -
ACCORD VIII Estate (CW)	2.4 i (CW2)	148	07/08 -
ACCORD X Saloon (CV)	1.5 iVTEC (CV1)	138	10/17 -
ACCORD X Saloon (CV)	2.0 iVTEC (CV2)	182	10/17 -

**HONDA (DONGFENG)**

Modell	Typ	kW	År
SPIRIOR (CU_)	2.4	133	07/09 12/12

**HONDA (GAC)**

Modell	Typ	kW	År
ACCORD VIII (CP_)	2.0	115	03/08 12/13
ACCORD VIII (CP_)	2.4	132	01/08 12/13
ACCORD VIII (CP_)	3.5	206	01/08 12/12

## OE-nummer

Kompatibla OE-nummer	
HONDA	43022TA0A00
HONDA	43022TA0A40
HONDA	43022TA0A51
HONDA	43022TA0A80
HONDA	43022TA0A81
HONDA	43022TL1G00
HONDA	43022TL1G01
HONDA	43022TL1G02
HONDA	H4302TA0003