

BRAKE FLUID DOT4

Revision nr. 2

Dated 14/12/2023

Printed on 14/12/2023

Page n. 1/18

Replaced revision:1 (Printed on: 19/01/2023)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name **BRAKE FLUID DOT4**

1.2. Relevant identified uses of the substance or mixture and uses advised against

BRAKE FLUID DOT4 (for B2B) Intended use

Identified Uses Industrial Professional Consumer Functional Fluids

1.3. Details of the supplier of the safety data sheet

BREMBO N.V.

Registered office: Amsterdam (Netherlands) Full address Business and Corporate Address: Via Stezzano, 87 District and Country

24126, Bergamo (BG) Italia

Tel. +39 035 6051111

e-mail address of the competent person

responsible for the Safety Data Sheet SDS@brembo.com

1.4. Emergency telephone number

+39 035 6051111 (8.30 - 17.30 IT, EN) For urgent inquiries refer to

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

H361fd Reproductive toxicity, category 2 Suspected of damaging fertility. Suspected of damaging the

unborn child.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Revision nr. 2

Dated 14/12/2023 Printed on 14/12/2023

Page n. 2/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

Hazard pictograms:



Signal words: Warning

Hazard statements:

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements:

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P201 Obtain special instructions before use.

P308+P313 IF exposed or concerned: Get medical advice / attention.

Contains: tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] borate

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification Classification (EC) 1272/2008 (CLP) x = Conc. %

Reaction mass of 2-(2-(2butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

 $15 \le x < 20$ Eye Dam. 1 H318 INDEX

EC 907-996-4 Eye Dam. 1 H318: ≥ 30%, Eye Irrit. 2 H319: ≥ 20%

CAS -

REACH Reg. 01-2119475115-41-

tris[2-[2-(2-

methoxyethoxy)ethoxy]ethyl]

borate

INDEX - $5 \le x < 10$ Repr. 2 H361fd

EC 250-418-4 CAS 30989-05-0

REACH Reg. 01-2119462824-33-

xxxx

TRIETHYLENE GLYCOL

INDEX - $5 \le x < 10$ Substance with a community workplace exposure limit.

EC 203-953-2



Revision nr. 2

Dated 14/12/2023
Printed on 14/12/2023

Page n. 3/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

CAS 112-27-6

REACH Reg. 01-2119438366-35-

XXXX

2,6-di-tert-butyl-p-cresol

INDEX - $0.1 \le x < 0.2$ Aquatic Chronic 1 H410 M=1

EC 204-881-4 CAS 128-37-0

REACH Reg. 01-2119480433-40-

xxxx

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained



Revision nr. 2

Dated 14/12/2023

Printed on 14/12/2023

Page n. 4/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

OEL EU

Regulatory References:

ΕU

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983;

Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive

2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2022



BRAKE FLUID DOT4

Revision nr. 2

Dated 14/12/2023

Printed on 14/12/2023
Page n. 5/18

Replaced revision:1 (Printed on: 19/01/2023)

Туре	Country	TWA/8h		STEL/15min		Remarks Observa		
		mg/m3	ppm	mg/m3	ppm	Observa	lions	
LV-ACGIH		50						
Predicted no-effect concent	tration - PNEC							
Normal value in fresh water	•			10	mg.	/I		
Normal value in marine wat	er			1	mg.	/I		
Normal value for fresh wate	er sediment			36,6	mg.	/kg		
Normal value for marine wa	ater sediment			3,66	mg.	/kg		
Normal value for water, inte	ermittent release			50	mg.	/I		
Normal value of STP micro	organisms			200	mg.	/I		
Normal value for the food cl	hain (secondary poison	ing)		89	mg.	/kg		
Normal value for the terrest	rial compartment			1,56	mg.	/kg		
Health - Derived no-eff	·	MEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral			VND	systemic 2 mg/kg		systemic		systemic 10 mg/kg
nhalation			VND	93 mg/m3			VND	bw/d 156 mg/m3
Skin			VND	100 mg/kg			VND	167 mg/kg
		thoxy)ethanol an	d 3,6,9,12-tetra		ın-1-ol			bw/d
Predicted no-effect concent	tration - PNEC	thoxy)ethanol an	d 3,6,9,12-tetra		ın-1-ol mg	/1		bw/d
Predicted no-effect concent Normal value in fresh water	tration - PNEC	thoxy)ethanol an	d 3,6,9,12-tetra	aoxahexadeca				bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat	tration - PNEC - er	thoxy)ethanol an	d 3,6,9,12-tetra	aoxahexadeca 2	mg.	/I		bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh wate	tration - PNEC	thoxy)ethanol an	d 3,6,9,12-tetra	aoxahexadeca 2 0,2	mg.	/l /kg		bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh wate Normal value for marine wa	tration - PNEC er er sediment ater sediment	thoxy)ethanol an	d 3,6,9,12-tetra	2 0,2 6,6	mg. mg.	/l /kg /kg		bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine water, inter	tration - PNEC er er sediment eter sediment ermittent release	thoxy)ethanol an	d 3,6,9,12-tetra	2 0,2 6,6 0,66	mg. mg mg.	/l /kg /kg		bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh wate Normal value for marine wat Normal value for water, inte	er sediment ermittent release organisms		d 3,6,9,12-tetra	2 0,2 6,6 0,66	mg mg mg mg	/I /kg /kg /I		bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh wate Normal value for marine wat Normal value for water, inte Normal value of STP microcontrol value for the food cl	tration - PNEC er sediment eter sediment ermittent release organisms hain (secondary poison		d 3,6,9,12-tetra	2 0,2 6,6 0,66 18	mg. mg. mg. mg. mg.	/I /kg /kg /I /I /I		bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wat Normal value for water, interval value of STP micros Normal value for the food of Normal value for the terrest	tration - PNEC er sediment eter sediment et	ing)	d 3,6,9,12-tetra	2 0,2 6,6 0,66 18 500 333	mg. mg. mg. mg. mg. mg. mg. mg.	/I /kg /kg /I /I /I		bw/d
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine water, inte Normal value of STP microson Normal value for the food of Normal value for the terrest Health - Derived no-eff	tration - PNEC er sediment eter sediment et	ing)		2 0,2 6,6 0,66 18 500 333 0,46	mg. mg. mg. mg. mg. mg. mg. mg.	// //kg //kg //I // // // //kg Acute	Chronic local	Chronic
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wa Normal value for water, inte Normal value of STP microc Normal value for the food cl Normal value for the terrest Health - Derived no-eff Route of exposure	tration - PNEC er sediment eter sediment fect level - DNEL / E effects on consumers	ing)		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic 12,5 mg/kg	mg. mg. mg. mg. mg. mg. mg. mg. mg.	// //kg //kg // // // // // // // // // // // // //	Chronic local	
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh wate Normal value for marine wa Normal value for water, inte Normal value of STP microo Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure	tration - PNEC er sediment eter sediment fect level - DNEL / E effects on consumers	ing)		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic	mg. mg. mg. mg. mg. mg. mg. mg. mg.	// //kg //kg //I // // // //kg Acute	Chronic local	Chronic
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wat Normal value for water, inte Normal value of STP microcon Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure Dral Inhalation	tration - PNEC er sediment eter sediment fect level - DNEL / E effects on consumers	ing)		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic 12,5 mg/kg bw/d 117 mg/m3	mg. mg. mg. mg. mg. mg. mg. mg. mg.	// //kg //kg //I // // // //kg Acute	Chronic local	Chronic systemic 195 mg/m3 208 mg/kg
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wat Normal value for water, inte Normal value of STP microco Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure Oral Inhalation	tration - PNEC er sediment eter sediment fect level - DNEL / E effects on consumers	ing)		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic 12,5 mg/kg bw/d 117 mg/m3	mg. mg. mg. mg. mg. mg. mg. mg. mg.	// //kg //kg //I // // // //kg Acute	Chronic local	Chronic systemic
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wat Normal value for water, interval value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure Dral Inhalation Skin ris[2-[2-(2-methoxyeth	tration - PNEC errer sediment eter sediment	ing) DMEL Acute systemic		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic 12,5 mg/kg bw/d 117 mg/m3	mg. mg. mg. mg. mg. mg. mg. mg. mg.	// //kg //kg //I // // // //kg Acute	Chronic local	Chronic systemic 195 mg/m3 208 mg/kg
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for fresh water Normal value for marine wat Normal value for water, inte Normal value of STP microc Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure Dral Inhalation Prisi[2-[2-(2-methoxyeth Predicted no-effect concent	tration - PNEC er sediment er sediment ermittent release organisms thain (secondary poison trial compartment fect level - DNEL / D Effects on consumers Acute local	ing) DMEL Acute systemic		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic 12,5 mg/kg bw/d 117 mg/m3 125 mg/kg bw/d	mg. mg. mg. mg. mg. mg. mg. mg. mg. complete the second se	// //kg //kg // // // // // // // // // // // // //	Chronic local	Chronic systemic 195 mg/m3 208 mg/kg
Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh wate Normal value for marine wa Normal value for water, inte Normal value of STP microo Normal value for the food cl Normal value for the terrest Health - Derived no-eff Route of exposure Dral Inhalation Skin tris[2-[2-(2-methoxyeth Predicted no-effect concent Normal value in fresh water	tration - PNEC er sediment er sediment ermittent release organisms hain (secondary poison trial compartment fect level - DNEL / Effects on consumers Acute local	ing) DMEL Acute systemic		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic 12,5 mg/kg bw/d 117 mg/m3 125 mg/kg bw/d 0,211	mg.	// //kg //kg // // // // // // // // // // // // //	Chronic local	Chronic systemic 195 mg/m3 208 mg/kg
Reaction mass of 2-(2- Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh wate Normal value for marine wa Normal value for water, inte Normal value of STP microo Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure Oral Inhalation Skin tris[2-[2-(2-methoxyeth Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water	tration - PNEC er sediment er sediment er sediment ermittent release organisms hain (secondary poison trial compartment fect level - DNEL / E Effects on consumers Acute local	ing) DMEL Acute systemic		2 0,2 6,6 0,66 18 500 333 0,46 Chronic systemic 12,5 mg/kg bw/d 117 mg/m3 125 mg/kg bw/d	mg. mg. mg. mg. mg. mg. mg. mg. mg. complete the second se	// // // // // // // // // // // // //	Chronic local	Chronic systemic 195 mg/m3 208 mg/kg



TRIETHYLENE GLYCOL

BREMBO N.V.

Dated 14/12/2023

Revision nr. 2

Printed on 14/12/2023

Page n. 6/18

Replaced revision:1 (Printed on: 19/01/2023)

			I III D		- 4
BRA	ĸE	FL	UIL	יטט י	14

Normal value for marine water sediment	0,076	mg/kg	
Normal value for water, intermittent release	2,112	mg/l	
Normal value of STP microorganisms	100	mg/l	
Normal value for the terrestrial compartment	0,028	mg/kg	
Health - Derived no-effect level - DNEL / DMEL		-ffects on	

Health - Derived no-	effect level - DNEL / D	MEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation				7,2 mg/m3				29,1 mg/m3

Threshold Limit Va	alue						
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
OEL	EU	1000					
Predicted no-effect con	ncentration - PNEC						
Normal value in fresh	water			10		mg/l	
Normal value in marine	e water			1		mg/l	
Normal value for fresh	water sediment			46		mg/kg	
Normal value of STP r	microorganisms			10		mg/l	
Normal value for the te	errestrial compartment			3,32		mg/kg	

Health - Derived no-ef	fect level - DNEL / D	MEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation			25 mg/m3	VND			50 mg/m3	VND
Skin			VND	20 ma/ka/d			VND	40 ma/ka/d

2,2'-metilimminodietanolo Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,1	mg/l	
Normal value in marine water	0,0125	mg/l	
Normal value for fresh water sediment	0,89	mg/kg	
Normal value for marine water sediment	0,111	mg/kg	
Normal value for water, intermittent release	1	mg/l	
Normal value of STP microorganisms	10	mg/l	
Normal value for the terrestrial compartment	0,119	mg/kg	

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation								26 mg/m3
Skin								19 mg/kg

2,6-di-tert-butyl-p-cre	sol				
Threshold Limit Value	e				
Туре	Country	TWA/8h	STEL/15min	Remarks /	
				Observations	



BRAKE FLUID DOT4

Revision nr. 2

Dated 14/12/2023
Printed on 14/12/2023

Page n. 7/18

Replaced revision:1 (Printed on: 19/01/2023)

		mg/m3	ppm	mg/m3	ppm			
TLV-ACGIH		2						
Predicted no-effect concentration	on - PNEC							
Normal value in fresh water				0,199	μg	/I		
Normal value in marine water	-	-		0,02	μg	/I		
Normal value for fresh water se	diment			99,6	μG	i/kg		
Normal value for marine water	sediment			9,96	μG	i/kg		
Normal value for water, intermit	ttent release	-		1,99	μg	/I		
Normal value of STP microorga	anisms	-		0,17	mg	ı/I		
Normal value for the food chain	(secondary poison	ing)		8,33	mg	ı/kg		
Normal value for the terrestrial	compartment			47,69	μG	i/kg		
Health - Derived no-effect	t level - DNEL / D Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1 mg/kg bw/d		0,25 mg/kg bw/d				
Inhalation		3,1 mg/m3		0,78 mg/m3		18 mg/m3		4,4 mg/m3
Skin		6,7 mg/kg bw/d		1,7 mg/kg bw/d		19 mg/kg bw/d		4,7 mg/kg bw/d
METHYL-1H-BENZOTRIA								
Predicted no-effect concentration	on - PNEC							
Normal value in fresh water				0,008	mg	ı/I		
Normal value in marine water				0,008	mg	ı/I		
Normal value for fresh water se	ediment			0,0025	mg	ı/kg		
Normal value for marine water	sediment			0,0025	mg	ı/kg		
Normal value for water, intermit	ttent release			0,086	mg	ı/I		
Normal value of STP microorga	anisms			39,4	mg	ı/I		
Normal value for the terrestrial	compartment			0,0024	mg	ı/kg		
Health - Derived no-effect	t level - DNEL / D Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	0,25 mg/kg				
Inhalation			VND	4,4 mg/m3			VND	8,8 mg/m3
aidilo								

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls



Revision nr. 2

Dated 14/12/2023

Printed on 14/12/2023
Page n. 8/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value liquid	Information
Colour	colourless to amber	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	> 155 °C	
Flammability	not applicable	
Lower explosive limit	not applicable	
Upper explosive limit	not applicable	
Flash point	> 100 °C	
Auto-ignition temperature	350 °C	
Decomposition temperature	not available	
рН	9	
Kinematic viscosity	1050 cSt	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	



Revision nr. 2

Dated 14/12/2023

Printed on 14/12/2023

Page n. 9/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

Vapour pressure not available

Density and/or relative density 1,000-1,100

Relative vapour density not available

Particle characteristics not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0
VOC (volatile carbon) 0

SECTION 10. Stability and reactivity

10.1. Reactivity

The product may react exothermically on contact with strong oxidising or reducing agents, strong acids or bases.

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

Hygroscopic.

10.2. Chemical stability

Excessively high temperatures can cause thermal decomposition.

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

Avoid exposure to: air.

Hygroscopic.

10.3. Possibility of hazardous reactions

See paragraph 10.1.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Oxidising or reducing agents. Strong acids or bases.

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol



Dated 14/12/2023

Printed on 14/12/2023

Page n. 10/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

Avoid contact with: strong acids, strong bases, water.

2,6-di-tert-butyl-p-cresol

Avoid contact with: oxidising agents.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

Develops: carbon monoxide, carbon dioxide.

2,6-di-tert-butyl-p-cresol

In decomposition develops: carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects



Revision nr. 2

Dated 14/12/2023
Printed on 14/12/2023

Page n. 11/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

2-(2-(2-methoxyethoxy)ethoxy)ethanol

LD50 (Dermal): 7,1 g/kg LD50 (Oral): > 10500 mg/kg

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

LD50 (Dermal): 3540 mg/kg bw LD50 (Oral): 5170 mg/kg bw

tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] borate

LD50 (Dermal): > 2000 mg/kg LD50 (Oral): > 2000 mg/kg

TRIETHYLENE GLYCOL

 LD50 (Dermal):
 16 ml/kg bw

 LD50 (Oral):
 > 2000 mg/kg bw

 LC50 (Inhalation vapours):
 > 5,2 mg/l

2,6-di-tert-butyl-p-cresol

LD50 (Dermal): > 2000 mg/kg dw LD50 (Oral): > 2930 mg/kg dw

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class



Dated 14/12/2023

Printed on 14/12/2023
Page n. 12/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Suspected of damaging fertility - Suspected of damaging the unborn child

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

2,6-di-tert-butyl-p-cresol

EC50 - for Crustacea

> 0,61 mg/l/48h



Revision nr. 2

Dated 14/12/2023
Printed on 14/12/2023

Page n. 13/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

Chronic NOEC for Crustacea

0,316 mg/l

TRIETHYLENE GLYCOL

LC50 - for Fish 69800 mg/l/96h
EC50 - for Crustacea > 10000 mg/l/48h

2-(2-(2-methoxyethoxy)ethoxy)ethanol

 LC50 - for Fish
 10000 mg/l/96h

 EC50 - for Crustacea
 > 500 mg/l/48h

 Chronic NOEC for Crustacea
 3152 mg/l

 Chronic NOEC for Algae / Aquatic Plants
 1000 mg/l

Reaction mass of 2-(2-(2-

butoxyethoxy)ethoxy)ethanol and 3,6,9,12-

tetraoxahexadecan-1-ol

 LC50 - for Fish
 > 1800 mg/l/96h

 EC50 - for Crustacea
 > 3200 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 391 mg/l/72h

 EC10 for Algae / Aquatic Plants
 188 mg/l/72h

tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl]

borate

 LC50 - for Fish
 > 222,2 mg/l/96h

 EC50 - for Crustacea
 > 211,2 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 > 224,4 mg/l/72h

12.2. Persistence and degradability

2,6-di-tert-butyl-p-cresol NOT rapidly degradable

TRIETHYLENE GLYCOL

Rapidly degradable

2-(2-(2-methoxyethoxy)ethoxy)ethanol

Rapidly degradable

tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl]

borate

Rapidly degradable

12.3. Bioaccumulative potential

TRIETHYLENE GLYCOL

Partition coefficient: n-octanol/water -1,75

Reaction mass of 2-(2-(2-

butoxyethoxy)ethoxy)ethanol and 3,6,9,12-

tetraoxahexadecan-1-ol

Partition coefficient: n-octanol/water 0,51

12.4. Mobility in soil

TRIETHYLENE GLYCOL



BRAKE FLUID DOT4

Revision nr. 2

Dated 14/12/2023

Printed on 14/12/2023

Page n. 14/18

Replaced revision:1 (Printed on: 19/01/2023)

Partition coefficient: soil/water 1

tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl]

borate

Partition coefficient: soil/water 0,008

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)



Revision nr. 2

Dated 14/12/2023 Printed on 14/12/2023 **BRAKE FLUID DOT4** Page n. 15/18 Replaced revision:1 (Printed on: 19/01/2023)

not	app	licat	ole
1101	upp	iioai	,,,

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.



Revision nr. 2

Dated 14/12/2023

Printed on 14/12/2023

Page n. 16/18

Replaced revision:1 (Printed on: 19/01/2023)

BRAKE FLUID DOT4

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] borate

TRIETHYLENE GLYCOL

2,6-di-tert-butyl-p-cresol

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Repr. 2 Reproductive toxicity, category 2
Eye Dam. 1 Serious eye damage, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level



BRAKE FLUID DOT4

Revision nr. 2

Dated 14/12/2023 Printed on 14/12/2023

Page n. 17/18

Replaced revision:1 (Printed on: 19/01/2023)

EmS: Emergency Schedule

- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a quarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.



BRAKE FLUID DOT4

Revision nr. 2

Dated 14/12/2023 Printed on 14/12/2023

Page n. 18/18

Replaced revision:1 (Printed on: 19/01/2023)

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

msds for B2C.

Changes to previous review: The following sections were modified: 02 / 03 / 09 / 11 / 12 / 15 / 16.